

Plots Report

Test type: Nucleic Acid

8/6/2009 1:12 PM

Exit

Report Name

Max Buffer Size 200

Buffer Mode

Save Report & Clear

Sample ID	User ID	Date	Time	ng/ul	A260	A280	260/280	260/230	Constant	Cursor Pos.	Cursor abs.	340 raw
BB01	Default	8/6/2009	12:47 PM	47.13	0.943	0.475	1.98	1.60	50.00	230	0.590	-0.093
BB02	Default	8/6/2009	12:47 PM	35.67	0.713	0.364	1.96	1.28	50.00	230	0.558	-0.108
BB03	Default	8/6/2009	12:48 PM	42.04	0.841	0.443	1.90	1.07	50.00	230	0.784	-0.029
BB04	Default	8/6/2009	12:48 PM	41.50	0.830	0.428	1.94	1.43	50.00	230	0.579	-0.064
BB05	Default	8/6/2009	12:49 PM	37.49	0.750	0.384	1.95	1.21	50.00	230	0.621	-0.070
BB06	Default	8/6/2009	12:49 PM	51.22	1.024	0.513	2.00	1.46	50.00	230	0.699	-0.075
BB07	Default	8/6/2009	12:50 PM	44.97	0.899	0.455	1.98	1.57	50.00	230	0.573	-0.105
LC01	Default	8/6/2009	12:50 PM	88.28	1.766	0.944	1.87	1.04	50.00	230	1.695	-0.030
LC02	Default	8/6/2009	12:51 PM	50.13	1.003	0.490	2.04	1.82	50.00	230	0.550	-0.123
LC03	Default	8/6/2009	12:52 PM	56.33	1.127	0.584	1.93	1.48	50.00	230	0.761	-0.073
LC04	Default	8/6/2009	12:53 PM	28.06	0.561	0.272	2.06	1.53	50.00	230	0.367	-0.127
LC05	Default	8/6/2009	12:54 PM	42.56	0.851	0.406	2.10	1.49	50.00	230	0.572	-0.077
LC06	Default	8/6/2009	12:54 PM	42.25	0.845	0.441	1.92	1.41	50.00	230	0.597	-0.107
LC07	Default	8/6/2009	12:55 PM	48.01	0.960	0.467	2.05	1.69	50.00	230	0.570	-0.123
NB01	Default	8/6/2009	12:56 PM	53.46	1.069	0.541	1.98	1.38	50.00	230	0.774	-0.041
NB02	Default	8/6/2009	12:57 PM	50.18	1.004	0.527	1.90	1.31	50.00	230	0.767	-0.039
NB03	Default	8/6/2009	12:57 PM	43.44	0.869	0.430	2.02	1.68	50.00	230	0.517	-0.110
NB04	Default	8/6/2009	12:58 PM	60.88	1.218	0.647	1.88	0.99	50.00	230	1.227	0.088
NB05	Default	8/6/2009	12:59 PM	36.79	0.736	0.365	2.01	1.31	50.00	230	0.564	-0.070
NB06	Default	8/6/2009	12:59 PM	32.83	0.657	0.313	2.10	1.59	50.00	230	0.412	-0.121
NB07	Default	8/6/2009	1:00 PM	42.84	0.857	0.446	1.92	1.17	50.00	230	0.732	-0.035
SB01	Default	8/6/2009	1:00 PM	47.39	0.948	0.481	1.97	1.37	50.00	230	0.691	-0.065
SB02	Default	8/6/2009	1:01 PM	45.17	0.903	0.430	2.10	1.65	50.00	230	0.547	-0.122
SB03	Default	8/6/2009	1:02 PM	40.16	0.803	0.384	2.09	1.05	50.00	230	0.766	-0.030
SB04	Default	8/6/2009	1:02 PM	43.28	0.866	0.424	2.04	1.66	50.00	230	0.521	-0.118

Test type:

Nucleic Acid

8/6/2009 1:13 PM

Exit

Max Buffer Size 200

Buffer Mode

Save Report & Clear

User ID	Date	Time	ng/ul	A260	A280	260/280	260/230	Constant	Cursor Pos.	Cursor abs.	340 raw
Default	8/6/2009	12:58 PM	60.88	1.218	0.647	1.88	0.99	50.00	230	1.227	0.088
Default	8/6/2009	12:59 PM	36.79	0.736	0.365	2.01	1.31	50.00	230	0.564	-0.070
Default	8/6/2009	12:59 PM	32.83	0.657	0.313	2.10	1.59	50.00	230	0.412	-0.121
Default	8/6/2009	1:00 PM	42.84	0.857	0.446	1.92	1.17	50.00	230	0.732	-0.035
Default	8/6/2009	1:00 PM	47.39	0.948	0.481	1.97	1.37	50.00	230	0.691	-0.065
Default	8/6/2009	1:01 PM	45.17	0.903	0.430	2.10	1.65	50.00	230	0.547	-0.122
Default	8/6/2009	1:02 PM	40.16	0.803	0.384	2.09	1.05	50.00	230	0.766	-0.030
Default	8/6/2009	1:02 PM	43.28	0.866	0.424	2.04	1.66	50.00	230	0.521	-0.118
Default	8/6/2009	1:03 PM	34.70	0.694	0.327	2.12	1.88	50.00	230	0.369	-0.153
Default	8/6/2009	1:03 PM	41.44	0.829	0.382	2.17	1.20	50.00	230	0.688	-0.087
Default	8/6/2009	1:04 PM	41.30	0.826	0.433	1.91	1.02	50.00	230	0.809	-0.010
Default	8/6/2009	1:04 PM	38.78	0.776	0.381	2.03	1.94	50.00	230	0.400	-0.153
Default	8/6/2009	1:05 PM	49.56	0.991	0.480	2.06	1.91	50.00	230	0.518	-0.156
Default	8/6/2009	1:05 PM	41.02	0.820	0.400	2.05	1.58	50.00	230	0.518	-0.113
Default	8/6/2009	1:06 PM	39.18	0.784	0.363	2.16	1.34	50.00	230	0.583	-0.095
Default	8/6/2009	1:07 PM	37.98	0.760	0.390	1.95	1.57	50.00	230	0.484	-0.123
Default	8/6/2009	1:07 PM	41.38	0.828	0.396	2.09	1.94	50.00	230	0.426	-0.157
Default	8/6/2009	1:08 PM	35.44	0.709	0.325	2.18	2.51	50.00	230	0.283	-0.195
Default	8/6/2009	1:08 PM	34.88	0.698	0.334	2.09	1.64	50.00	230	0.426	-0.121
Default	8/6/2009	1:09 PM	51.31	1.026	0.511	2.01	1.23	50.00	230	0.832	-0.039
Default	8/6/2009	1:09 PM	66.43	1.329	0.660	2.01	1.63	50.00	230	0.815	-0.090
Default	8/6/2009	1:10 PM	40.30	0.806	0.362	2.23	1.39	50.00	230	0.578	-0.100
Default	8/6/2009	1:11 PM	42.87	0.857	0.420	2.04	1.71	50.00	230	0.502	-0.153
Default	8/6/2009	1:11 PM	44.92	0.898	0.432	2.08	1.55	50.00	230	0.580	-0.135
Default	8/6/2009	1:12 PM	44.46	0.889	0.451	1.97	1.75	50.00	230	0.509	-0.141

SB01
SB02
SB03
SB04
SB05
SB06
SB07
DH01
DH02
DH03
DH04
DH05
DH06
DH07
WB01
WB02
WB03
WB04
WB05
WB06
WB07