		Material	Safety Da	ata Sheet				
		(MSDS)						
Date of Issue: 01/20/2006		(2.252.5)			Reviewed: 03/11/09		09	
SECTION 1 - MANUFACTURER INFORMATION								
Manufacturer Name:	Decon	Decon Laboratories, Inc.						
Trade Name:			Emergency Telephone					
Ethanol 190 Proof			U.S.: (800) 424-9300					
				CANADA: (703) 527-3887				
CL 'IN C	F.(1 1	Ethyl Alashal			, ,			
Chemical Name or Synonym: Ethyl Alcohol			Info Telephone: 610-755-0800					
Mfg. Address: 460 Glennie Circle								
City: King		of Prussia		State, Zip:	P	PA 19400	5	
SECTION II - HAZARDOUS INGREDIENT								
CAS # Chemical N		Percent	PEL	TLV		Limits Recomme	nded	
64-17-5 Ethyl Alco	hol	95%	1000 ppm	1000 ppm		NL		
Additional Unidentified ingredients are not considered hazardous under the Federal Hazard Information: Communication Standard (29 CFR 1910.1200)								
Information: Communi				T D / D /				
SECTION III - PHYSICAL DATA								
Physical State: Liquid Odor: Alcohol odor			Specific Gravity (H2O=1.0): 0.811-0.821 Boiling Point: 173 ° F.					
Color:				Density 6.72				
Vapor Pressure: 44.6			Freezing Point: No Data Available					
Vapor Density (Air=1): Heavier than air				Melting Point: (-173 ° F.)				
1 () /		Slower than et	her	•	Solubility in Water: Complete		lete	
Percent Volatile: 100 PH: N/A								
SECTION IV - FIRE AND EXPLOSION DATA								
	3° F			: 0.033 to 0.1	9	AutoIgnition Temperature: 685	⁰ F.	
Extinguishing Media: Use water fog, alcohol foam, dry chemical or CO ₂ .								
Special Fire Fighting Procedures: Clear fire area of unprotected personnel. Do not enter fire area without full								
bunker gear, helmet w/face shield, Bunker coats, gloves, and rubber boots. Include a positive pressure NIOSH								
approved self-contained breathing apparatus. Cool fire exposed container with water.								
Additional Information: Hazard Ratings								
HMIS: Health = 1 Flammability = 3 Reactivity = 0 Personal Protection = H (Splash goggles,								
gloves, chemical apron, vapor respirator)								
NFPA: Health = 1 Flammability = 3 Reactivity = 0								

	SECTION V - HEALTH HAZARD DATA				
ACUTE:	Irritation as noted below. Shortness of breathing, confused behavior, redness of skin, swelling of tissues,				
ACUIE:					
EVEC.	watery eyes and nausea.				
EYES:	Can cause moderate eye irritation. High vapor concentration may also be irritating.				
SKIN:	Can cause mild skin irritation. Prolonged or repeated contact can result in defatting and drying of the skin				
	which may result in skin irritation and dermatitis (rash).				
INHALATION:	May cause mild irritation to nose, throat and respiratory tract and may result in central nervous system				
	(CNS) depression.				
INGESTION:	Ingestion of excessive quantities may cause irritation of the digestive tract and signs of nervous system				
	depression (headache, drowsiness, dizziness, loss of coordination and fatigue)				
CHRONIC, OTHER: Pre-existing skin, eye, and respiratory disorders may be aggravated by exposure to Ethanol.					
First Aid					
Eyes:	Immediately flush with plenty of water for at least 15 minutes, while holding eyelids open.				
	Seek immediate medical attention.				
Skin:	Flush skin with water while removing contaminated clothing. If irritation occurs, seek medical attention.				
	Do not reuse clothing or shoes until cleaned.				
Inhalation:	Remove victim to fresh air and provide oxygen if breathing is difficult. Seek immediate medical attention.				
Ingestion:	Do not give liquids if victim is unconscious or drowsy. Otherwise, give two glasses of water and induce				
8-04-011-	vomiting by giving 30 mL syrup of IPECAC, upon directions of physician or poison control center. <u>DO NOT</u>				
	induce vomiting if victim is unconscious or drowsy. Call doctor.				
NOTE to Physician:	Do not induce vomiting - <u>FIRST</u> contact poison control center, treatment depends on volume				
NOTE to I hysician.	of substance, time elapsed, due to faster absorption.				
	SECTION VI - REACTIVITY DATA				
Stability: Stable.	Conditions to Avoid: Avoid heat, sparks, flame and contact with strong oxidizing agents.				
Hazardous Decompo	sition or By-Products: Carbon Monoxide and unidentified organic compounds may be formed during				
	combustion.				
Polymerization:	Will not occur.				
SECTION VII - SPILL OR LEAK PROCEDURES					
Spill Management:	WARNING-FLAMMABLE. Eliminate all ignition sources. Clean-up personnel require protective clothing				
1 8	and respiratory protection from vapors. Only specially trained or qualified personnel should handle the				
	emergency. Equipment must be grounded to prevent sparking. Contain liquid with absorbent material and				
	place in non-leaking container. Seal tightly for disposal.				
Waste Disposal	Container disposal regulation may vary with amount of liquid content remaining in container.				
Method:	Refer to latest Federal and State Regulations regarding proper disposal of ALL containers.				
Witting.	Do not pressurize, cut weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static				
	electricity, or other sources of ignition.				
Method:	The preferred options for disposal are to send to licensed reclaimers, or to permitted incinerators. Any disposal				
withou.	practice must be in compliance with federal, state and local regulatory agencies.				
SECTION VIII - SPECIAL PROTECTION INFORMATION Page instance of the second second in the second second in the second seco					
Respiratory:	If exposure exceeds occupational exposure limits (see Section II), use a NIOSH-approved respirator. In accord with 29 CFR 1910.134, use either an atmosphere supplying respirator or an air purifying respirator for organic				
	•				
Eyes:	Use chemical safety goggles and/or full face shield where splashing is possible. Contact lenses should not be				
Duotooti Cl	worn when working with this material. Maintain eye wash fountain and quick-drench facilities in work areas.				
Protective Gloves:	Chemical Resistant Gloves.				
Ventilation: Use Explosion Proof Ventilation as required to control vapor concentrations.					
Other Clothing and Equipment: To prevent repeated or prolonged skin contact, wear impervious clothing and boots.					
SECTION IX - ADDITIONAL INFORMATION					
Safe Handling and Storage: Do not contact skin, eyes, mouth or ingest. Eye wash fountains and showers should be available for					
emergency use. Do not store alcohol above 120°F.					
SECTION X – TRANSPORTATION INFORMATION					
DOT Hazard Class:					
ORM-D Consumer Commodity Cat # 2816					
Ethanol solutio	on, Class 3, UN 1170, PG II Flammable Liquid Cat #2801,2801G,2805,2705M,2805SG,2855,2855M				
	nerein has been developed based upon current available scientific data. New information may be developed from time to time which may				

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the applicability of this information to the user's intended purpose or for the consequences of its use or misuse.